

Scandi Line




Front panels in a new modern design – SHADE.
Available as standard in silver and light gray with
black index, drive and base modules.

NORDPLAN's Scandi Line is a compact, easy to handle archiving system for efficient storage. Scandi Line is based on a flexible modular system with almost unlimited adaptation possibilities. All the outfitting details are exchangeable and can freely be combined between different modules - without the aid of professionals. The existing outfitting can usually be re-used. This makes Scandi Line a storage system for both today and tomorrow. An efficient and economical system to suit most storage needs, and with wide open facilities for future requirements and needs!

Scandi Line

Lighting




The Scandi Line storage system can be combined with automatic computer-controlled lighting. The lighting fixtures are fitted to every unit and are only lit in the aisle that is opened. The material on the shelves is exposed to a minimum of light and heat. As a rule, electricity consumption and heat emission are reduced by about 80%.

Operation



NORDPLAN's Scandi Line can be supplied with manual wheel operation or computer-controlled electrical operation. The computer-controlled electrical operation provides superior efficiency and comfort. The units move silently, softly and easily without disturbing "jerks and bumps". Authorisation codes can be easily programmed in for maximum security.

Ventilation



NORDPLAN's Scandi Line units can be equipped with built-in fans, complemented by electrostatic and particle filters. Each fan forms part of the total ventilation system. Scandi Line can be parked for the night with a system that automatically provides optimal space between the units for the best air circulation and ventilation.

Air conditioning



In NORDPLAN's Scandi Line the air conditioning can be controlled separately for each individual unit with the aid of different designs of door sections - even glass. A dehumidifier is also available as an accessory. For secure storage of poisonous, inflammable or other hazardous substances, the units can be equipped with ventilation ducts and adapters for connection to a central extractor unit.

Floor




Scandi Line runs on a stable rail design. The rails may be embedded in or laid on the existing floor. The infill flooring is approved for protection against damp and fire. The laminated surface layer provides good light reflection and is easy to keep clean. In the case of capillary damp problems, ventilated steel flooring is recommended for increased air circulation.


Scandi Line is principally supplied to:

Archives	Theatres	Schools
Libraries	Offices	Industry
Museums	Hospitals	Warehouses


x1 A static storage system with fixed stationary shelves requires working space and aisles between each set of shelves. Half of the storage space vanishes in "dead" space.



x2 The Scandi Line storage system with mobile units is an efficient use of storage space. Because the units can be moved sideways, aisle space is only needed for the unit that is being utilised at the time. The effect is that storage surface is doubled and so is the capacity.



x4 The Scandi Line 2-Tier solution uses the full storage capacity of the premises, including its height. By creating a two storey system the storage surface is quadrupled compared to a conventional system with fixed shelving on one floor.



2-Tier solution



Saves on expensive floor area and allows use on two floors with an extra floor (2-Tier) where the ceiling height permits.

Scandi Line SHADE Compact shelving

Scandi Line compact shelving	
G Aisle width	Min. 700 mm Standard. 800 - 1200 mm
F Free space to wall	50-150 mm (External wall min. 200 mm)
HG Main aisle	Standard 1200 mm
Vh Unit height	130 mm
RH Rail height	30 mm + Levelling
S Section length	750, 1000, 1200 mm. (Section lengths can be manufactured in different sizes for drawer systems, picture storage, clothes rails, etc. as desired).
Ss Start section	925, 1175, 1,375 mm
Pb Extension section	750, 1000, 1,200 mm
L Length	Ss + number of Pb (0,75 - 20 metres)
De Single compartment depth	273, 293, 323, 343, 373, 423, 473, 578, 638, 678, 738, 838, 938 mm
Dd Double compartment depth	538, 578, 638, 678, 738, 838, 938, 1148, 1268, 1348, 1468, 1668, 1868 mm
H Gable end height	1400-3600 mm at 100 mm intervals + Rh + Vh
Shelf depth	250, 270, 300, 320, 350, 400, 450, 540, 600, 640, 700, 800, 900 mm
Loading on shelves	50 - 120 kg distributed load. (Other loading alternatives can be supplied).
Drive	Handle, wheel, electrical
Intermediate floor	Laminate, steel, varnished, untreated floor

We give quotations and we assist with drawings and proposals.

Computer-controlled electrically driven E 9000



Styled front with computer-controlled electrical operation and touch controls.

Wheel-driven M 9000




Styled front with integrated wheel operation. Colour signals that mark locking/blocking of the selected unit.

Handle-operated H 9000



Styled front with integrated handle operation.



Front panels of Jacob Jensen design - SHADE. Available as standard in silver and light gray with black index, drive and base modules.

Scandi Line SHADE Design

Scandi Line compact shelving fitted on bases or mobile units.

Rails

Rails in solid galvanised steel for mounting on floors with a laminated floor between the rails, including a steel ramp to the front rail. The laminate flooring is of damp-protected panels with a marblised top and laminated underside, which provides increased protection against damp. The fire-proof flooring is easily cleaned, having good light-reflective properties.

Bases

Bases of painted steel plate with feet (design similar to the mobile units). Bases are supplied complete in modules of 1-2 sections and installed to the desired length at the installation site.

Mobile units

The mobile units are in painted sheet steel with solid steel wheels running on ball bearings. Mobile units are supplied complete in modules of 1-2 sections and installed to the desired length at the installation site. There are three drive alternatives, handle operation, wheel operation or computer-controlled electrical operation. The fronts are complete with built-in handles, wheels or computerised controls.

Shelf stands S 9000

The shelf stands are of painted sheet steel with covered gable ends and cross-braced at the rear, or alternatively with back plates. All equipment, shelving, drawers, etc. are mobile at 25 mm intervals.

Colours

The shelf stands are off-white with black mobile bases, ramps and front panels. The maximum loading is 50-120 kg/shelf and 500-1000 kg/single section. Other loading alternatives can be supplied. Scandi Line is CE marked and GS approved. The front panels are silver or RAL 9002 light grey.

Handle-operated H 9000

The handles are recessed into the front panels, and handle operation is used for up to 2 m length mobile units (4 m in the case of infrequent use or light loading).

Wheel-driven M 9000

The wheel is built into the front panel. The ergonomically designed wheel drive has well chosen gearing. An integrated colour-signalled safety lock shows that the selected mobile unit is locked/blocked. Each mobile unit has a drive shaft that drives the wheels via a chain from the operating wheel. The gearing from movement wheel to operating wheel is 1:3.85, so to move a weight of 8000 kg requires a force of about 2-2.5 kg. Wheel operation is used for up to 10 m mobile unit length.


Computer-controlled Electrically driven E 9000

Our computer-controlled compact shelving can be connected to an external computer, and control the aisle lighting with automatic lighting/extinguishing (aisles are only lit while they are open). The aisles can be locked with a code, there is remote opening of the aisles and night parking with a command that leaves several aisles open by about 100 mm to provide increased ventilation. One mobile unit can be held stationary in order to divide one aisle into several aisles. Electrical operation is used for up to 18 m mobile unit length. Touch controls and tinted glass.

Security

As standard our computer-controlled compact shelving has three levels of security.


1. Auto-blocking when a new aisle has opened.
2. Infra-red beams for detection and emergency stopping of mobile units.
3. Emergency stop buttons on the front. More safety equipment can be fitted, depending on the use and installation, for example for our 2-Tier solution.



Start section
(Shown here with magazine shelf, not included)



Extension section



Back panel/visible rear

1 = Back panel

2 = Bottom section

In cases where the rear of the fixed section is open to view and not against a wall, a back panel is fitted for aesthetic reasons.

The back panel is made of 1 mm powder-coat painted sheet steel.

The panel hangs in slots at the rear of the gable ends and can therefore only be used with single compartments/bases.

The panel increases the section depth by 15.5 mm.


Scandi Line shelf stands	
S Section length	750, 1000, 1200 mm. (Section lengths can be manufactured in different sizes for drawer systems, picture storage, clothes rails, etc. as desired)
F Free space to wall	770, 1020, 1220 mm. (Other lengths can be supplied)
Pb Extension section	750, 1000, 1200 mm. (Other lengths can be supplied)
L Length	Ss + number of Pb mm
De Depth single shelf	253, 273, 303, 323, 353, 403, 453, 548, 608, 648, 708, 808, 908 mm
Dd Depth double shelf	508, 548, 608, 648, 708, 808, 908, 1096, 1216, 1296, 1416, 1616 mm
H Gable end height	1400-3600 mm at 100 mm intervals
Shelf depth	250, 270, 300, 320, 350, 400, 450 mm
Loading on shelves	80 - 120 kg distributed load (Other loading alternatives can be supplied)

Scandi Line Shelf stand

Scandi Line shelf stands height 1800

Height 1800, depth 270 / 5 shelves high					
Nomenclature	Height	Width	Depth	Part no.	Price
Start section 5 shelves	1800	770	270	S1807727/5	
Extension section 5 shelves	1800	750	270	P1807527/5	
Start section 5 shelves	1800	1020	270	S1810227/5	
Extension section 5 shelves	1800	1000	270	P1810027/5	
Height 1800, depth 320 / 5 shelves high					
Nomenclature	Height	Width	Depth	Part no.	Price
Start section 5 shelves	1800	770	320	S1807732/5	
Extension section 5 shelves	1800	750	320	P1807532/5	
Start section 5 shelves	1800	1020	320	S1810232/5	
Extension section 5 shelves	1800	1000	320	P1810032/5	
Height 1800, depth 400 / 5 shelves high					
Nomenclature	Height	Width	Depth	Part no.	Price
Start section 5 shelves	1800	770	400	S1807740/5	
Extension section 5 shelves	1800	750	400	P1807540/5	
Start section 5 shelves	1800	1020	400	S1810240/5	
Extension section 5 shelves	1800	1000	400	P1810040/5	
Height 1800, depth 450 / 5 shelves high					
Nomenclature	Height	Width	Depth	Part no.	Price
Start section 5 shelves	1800	770	450	S1807745/5	
Extension section 5 shelves	1800	750	450	P1807545/5	
Start section 5 shelves	1800	1020	450	S1810245/5	
Extension section 5 shelves	1800	1000	450	P1810045/5	

Examples of complete sections:



Start section

(Shown here with magazine shelf, not included)



Extension section

Scandi Line shelf stands height 2200

Height 2200, depth 270 / 6 shelves high					
Nomenclature	Height	Width	Depth	Part no.	Price
Start section 6 shelves	2200	770	270	S1807727/6	
Extension section 6 shelves	2200	750	270	P1807527/6	
Start section 6 shelves	2200	1020	270	S1810227/6	
Extension section 6 shelves	2200	1000	270	P1810027/6	
Height 2200, depth 320 / 6 shelves high					
Nomenclature	Height	Width	Depth	Part no.	Price
Start section 6 shelves	2200	770	320	S1807732/6	
Extension section 6 shelves	2200	750	320	P1807532/6	
Start section 6 shelves	2200	1020	320	S1810232/6	
Extension section 6 shelves	2200	1000	320	P1810032/6	
Height 2200, depth 400 / 6 shelves high					
Nomenclature	Height	Width	Depth	Part no.	Price
Start section 6 shelves	2200	770	400	S1807740/6	
Extension section 6 shelves	2200	750	400	P1807540/6	
Start section 6 shelves	2200	1020	400	S1810240/6	
Extension section 6 shelves	2200	1000	400	P1810040/6	
Height 2200, depth 450 / 6 shelves high					
Nomenclature	Height	Width	Depth	Part no.	Price
Start section 6 shelves	2200	770	450	S1807745/6	
Extension section 6 shelves	2200	750	450	P1807545/6	
Start section 6 shelves	2200	1020	450	S1810245/6	
Extension section 6 shelves	2200	1000	450	P1810045/6	


Scandi Line Accessories

Accessories for Scandi Line							
Nomenclature	Dimensions	Part no.	Price	Nomenclature	Dimensions	Part no.	Price
Shelf gable end	1400x250	20303071		Shelf gable end	2800x250	20303078	
Shelf gable end	1400x270	20303001		Shelf gable end	2800x270	20303008	
Shelf gable end	1400x300	20303051		Shelf gable end	2800x300	20303058	
Shelf gable end	1400x320	20303011		Shelf gable end	2800x320	20303018	
Shelf gable end	1400x350	20303061		Shelf gable end	2800x350	20303068	
Shelf gable end	1400x380	20303081		Shelf gable end	2800x380	20303088	
Shelf gable end	1400x400	20303021		Shelf gable end	2800x400	20303028	
Shelf gable end	1400x450	20303031		Shelf gable end	2800x450	20303038	
Shelf gable end	1600x250	20303072		Shelf gable end	3000x250	20303079	
Shelf gable end	1600x270	20303002		Shelf gable end	3000x270	20303009	
Shelf gable end	1600x300	20303052		Shelf gable end	3000x300	20303059	
Shelf gable end	1600x320	20303012		Shelf gable end	3000x320	20303019	
Shelf gable end	1600x350	20303062		Shelf gable end	3000x350	20303069	
Shelf gable end	1600x380	20303082		Shelf gable end	3000x380	20303089	
Shelf gable end	1600x400	20303022		Shelf gable end	3000x400	20303029	
Shelf gable end	1600x450	20303032		Shelf gable end	3000x450	20303039	
Shelf gable end	1800x250	20303073		Rear bracing	730	730	
Shelf gable end	1800x270	20303004		Rear bracing	980	980	
Shelf gable end	1800x300	20303054		Rear bracing	1180	1180	
Shelf gable end	1800x320	20303014		Shelf gable end	730x250	20307090	
Shelf gable end	1800x350	20303064		Shelf gable end	730x270	20307101	
Shelf gable end	1800x380	20303083		Shelf gable end	730x300	20307201	
Shelf gable end	1800x400	20303024		Shelf gable end	730x320	20307102	
Shelf gable end	1800x450	20303034		Shelf gable end	730x350	20307211	
Shelf gable end	2000x250	20303074		Shelf gable end	730x380	20307216	
Shelf gable end	2000x270	20303003		Shelf gable end	730x400	20307103	
Shelf gable end	2000x300	20303053		Shelf gable end	730x450	20307104	
Shelf gable end	2000x320	20303013		Shelf gable end	900x250	20307092	
Shelf gable end	2000x350	20303063		Shelf gable end	900x270	20307111	
Shelf gable end	2000x380	20303084		Shelf gable end	900x300	20307204	
Shelf gable end	2000x400	20303023		Shelf gable end	900x320	20307112	
Shelf gable end	2000x450	20303033		Shelf gable end	900x350	20307214	
Shelf gable end	2200x250	20303075		Shelf gable end	900x380	20307218	
Shelf gable end	2200x270	20303005		Shelf gable end	900x400	20307113	
Shelf gable end	2200x300	20303055		Shelf gable end	900x450	20307114	
Shelf gable end	2200x320	20303015		Shelf gable end	980x250	20307095	
Shelf gable end	2200x350	20303065-		Shelf gable end	980x270	20307106	
Shelf gable end	2200x380	20303085		Shelf gable end	980x300	20307202	
Shelf gable end	2200x400	20303025		Shelf gable end	980x320	20307107	
Shelf gable end	2200x450	20303035		Shelf gable end	980x350	20307212	
Shelf gable end	2400x250	20303076		Shelf gable end	980x380	20307219	
Shelf gable end	2400x270	20303006		Shelf gable end	980x400	20307108	
Shelf gable end	2400x300	20303056		Shelf gable end	980x450	20307109	
Shelf gable end	2400x320	20303016		Shelf gable end	1180x250	20307425	
Shelf gable end	2400x350	20303066		Shelf gable end	1180x270	20307427	
Shelf gable end	2400x380	20303086		Shelf gable end	1180x300	20307430	
Shelf gable end	2400x400	20303026		Shelf gable end	1180x320	20307432	
Shelf gable end	2400x450	20303036		Shelf gable end	1180x350	20307435	
Shelf gable end	2600x250	20303077		Shelf gable end	1180x380	20307438	
Shelf gable end	2600x270	20303007		Shelf gable end	1180x400	20307440	
Shelf gable end	2600x300	20303057		Shelf gable end	1180x450	20307445	
Shelf gable end	2600x320	20303017					
Shelf gable end	2600x350	20303067					
Shelf gable end	2600x380	20303087					
Shelf gable end	2600x400	20303027					
Shelf gable end	2600x450	20303037					

Examples of accessories:



Door section



Lighting


We assist with drawings and planning.

Contd.


Note: Shelf excluding shelf bracket.

Scandi Line Accessories


Examples of accessories:




s-plate with slot



Divider, front



X-ray braces 450x450



Suspended files frame

Accessories for Scandi Line				Accessories for Scandi Line			
Nomenclature	Dimensions	Part no.	Price	Nomenclature	Dimensions	Part no.	Price
Shelf brackets (2 per shelf)	1400x250	20307907		Pull-out work shelf	730x380	20317303	
Shelf brackets (2 per shelf)	1400x270	20307901		Pull-out work shelf	730x400	20317228	
Shelf brackets (2 per shelf)	1400x300	20307905		Pull-out work shelf	730x450	20317304	
Shelf brackets (2 per shelf)	1400x320	20307902					
Shelf brackets (2 per shelf)	1400x350	20307906		Pull-out work shelf	980x300	20317309	
Shelf brackets (2 per shelf)	1400x380	20307908		Pull-out work shelf	980x320	20317227	
Shelf brackets (2 per shelf)	1400x400	20307903		Pull-out work shelf	980x350	20317310	
Shelf brackets (2 per shelf)	1400x450	20307904		Pull-out work shelf	980x380	20317311	
				Pull-out work shelf	980x400	20317230	
Shelf with slot	730x320	20308112		Pull-out work shelf	980x450	20317312	
Shelf with slot	730x400	20308113					
Shelf with slot	730x450	20308114		Pull-out work shelf	1180x300	20317313	
				Pull-out work shelf	1180x320	20317314	
Shelf with slot	980x320	20308117		Pull-out work shelf	1180x350	20317315	
Shelf with slot	980x400	20308118		Pull-out work shelf	1180x380	20317316	
Shelf with slot	980x450	20308119		Pull-out work shelf	1180x400	20317317	
				Pull-out work shelf	1180x450	20317318	
Shelf with slot	1180x320	20308432		Magazine shelf	730x385	20317245	
Shelf with slot	1180x400	20308440		Magazine shelf	900x320	20317246	
Shelf with slot	1180x450	20308445		Magazine shelf	900x385	20317247	
Plastic foot, 2 x ends	20x40	20309004		Magazine shelf	980x320	20317240	
Mounting attachment with slot		20309101		Magazine shelf	980x385	20317241	
Mounting attachment without slot		20309102		Fittings for magazine shelf	40	20317242	
Double mounting attachment		20309108		Fittings for magazine shelf	120	20317243	
Rear edge	730x40	20310101		Suspended files frame	730x400	20317218	
Rear edge	980x40	20310102		Suspended files frame	980x320	20317293	
Rear edge	1180x40	20310118		Suspended files frame	980x400	20317220	
Shelf reinforcement	730	20311101		Suspended files frame	1180x320	20317414	
Shelf reinforcement	900	20311103		Suspended files frame	1180x400	20317417	
Shelf reinforcement	980	20311102		Suspended files frame	980x400x100	20318101	
Shelf reinforcement	1180	20311118		Lateral profile for CD drawer		20317235	
Divider, Front	200x250	20313025		Back plate	1800x730	20325101	
Divider, Front	200x270	20313005		Back plate	1800x980	20325103	
Divider, Front	200x300	20313026		Back plate	1800x1180	20325011	
Divider, Front	200x320	20313006					
Divider, Front	200x350	20313027		Back plate	2000x730	20325201	
Divider, Front	200x380	20313030		Back plate	2000x980	20325203	
Divider, Front	200x400	20313007		Back plate	2000x1180	20325013	
Divider, Front	200x450	20313008					
Door section	2200x980	20314105		Back plate	2200x730	20325104	
				Back plate	2200x980	20325106	
				Back plate	2200x1180	20325015	
Divider with slot	200x320	20315102		Back plate	2400x730	20325017	
Divider with slot	200x400	20315107		Back plate	2400x980	20325019	
				Back plate	2400x1180	20325020	
Divider with slot	200x400	20315150					
X-ray braces 450	450	20316101		Back plate	2600x730	20325107	
				Back plate	2600x980	20325109	
Base plate	730	20317101		Back plate	2600x1180	20325022	
Base plate	980	20317103					
Base plate	1180	20317105		Back panel	200x730	20332073	
Wall attachment	0-90 mm	20317135		Back panel	200x900	20332090	
				Back panel	200x980	20332098	
Pull-out work shelf	730x300	20317301		Back panel	200x1180	20332018	
Pull-out work shelf	730x320	20317225		Bottom section	125x730	20332273	
Pull-out work shelf	730x350	20317302		Bottom section	125x900	20332290	
				Bottom section	125x980	20332298	
				Bottom section	125x1180	20332218	

Examples of further accessories for Scandi Line:

Drawer system

Drawers for drawings, textiles, etc. can be manufactured in different sizes as required.

Clothes hanging rails

Racks for hangers or for rolls of textiles, available in required lengths.

Picture storage

Steel net frames for mounting on frames, floors, mobile units and rails.

Lighting


Lighting to be installed on mobile units in the compact archive.

See page 6.

Scandi Line

Ready-made sections

Examples of complete sections:



Here are shown examples of ready-made sections.

The equipment can be combined between the sections entirely as required.

Choose between mounting on fixed bases or alternatively on compact mobile units.

Shelf stand with shelves

mounted on a base or mobile unit with a front panel and diagonal back brace.

Height: 1800, 2000, 2200, 2400, 2600 + 130 mm added for base.

Depth: 270, 320, 400, 450, 550, 650, 700, 800, 900

Length between centres: 750, 1000, 1200, 1500, 1750, 2000 + 175 mm in length.

Shelf support with Unit Spacefinder

mounted on a base or mobile unit with a front panel and diagonal back brace.

Height: 6 boxes = 2130

Height: 7 boxes = 2330

Depth Single section: A4 = 400, Folio = 480

Depth Double section: A4 = 737, Folio = 900

Length: 5 boxes, each 150 mm = 770 between centres + 175 mm in length.

Length: 7 boxes, each 150 mm = 1150 between centres + 175 mm in length.

Shelf stand with drawers and shelves, drawer height 40 mm

26 Drawers H = 40 mm between centres 50 mm, 3 Shelf tiers

mounted on a base or mobile unit with a front panel and diagonal back brace.

Height: 1800, 2000, 2200, 2400, 2600 + 130 mm added for base.

Depth: 400, 558, 658, 708, 808, 908

Length between centres: 750, 1000, 1200, 1500, 1750, 2000 + 175 mm in length.

The number of drawers and shelf tiers can be altered as required.
The drawers can be obtained with other dimensions as requested.

Cont'd.

**Note that there must be added
+130 mm in height for the base,
and +175 mm to the length.**

Equipment for the ready-made sections can be combined with each other.

Scandi Line


Ready-made sections



Shelf stand with drawers and shelves, drawer height 90 mm

13 Drawers H = 90 mm between centres 100 mm, 3 Shelf tiers mounted on a base or mobile unit with a front panel and diagonal back brace.
Height: 1800, 2000, 2200, 2400, 2600 + 130 mm added for base.
Depth: 400, 558, 658, 708, 808, 908
Length between centres: 750, 1000, 1200, 1500, 1750, 2000 + 175 mm in length.

The number of drawers and shelf tiers can be altered as required.
 The drawers can be obtained with other dimensions as requested.



A frame for hanging objects, e.g. pictures

mounted on a base/mobile unit with front panel and diagonal back brace. Powder coated steel hangers.
Height: 1800, 2000, 2200, 2400, 2600, 2800, 3000 + 130 mm added for base.
Depth single: 250, 300
Depth double: 508, 548, 608
Length c/c: 600, 800, 1000, 1200 + 175 mm in length.




Shelf stand with clothes rails and hat stand

mounted on a base/mobile unit with front panel and diagonal back brace.

1 clothes rails, 2 shelves

Height: 1800, 2000, 2200, 2400, 2600 + 130 mm added for base.
Depth: 600, 648, 700
Length: 750, 1000, 1200, 1500, 1750, 2000 + 175 mm in length.



Shelf stand with pull-out frames for rollers

mounted on a base/mobile unit with front panel and diagonal back brace.

10 pull-out frames with 4 c-sections for rollers

Height: 1800, 2000, 2200, 2400, 2600 + 130 mm added for base.
Depth: 600, 648, 700, 800, 900
Length: 750, 1000, 1200, 1500, 1750, 2000 + 175 mm in length.

Note that there must be added +130 mm in height for the base, and +175 mm to the length.

Equipment for the ready-made sections can be combined with each other.

SCANDI LINE Compact shelving: Examples with prices

Example 1

Handle operation

H = 2360 incl. mobile unit/base, 6 tiers · L = 2175 mm D = 270 mm · 96 shelf metres

Price: _____ excl. floor + ramp

Supplement for: Laminated floor + ramp: _____




Example 2

Wheel operation

H = 2360 inkl. mobile unit/base, 6 tiers · L = 4175 mm D = 270 mm · 432 shelf metres

Price: _____ excl. floor + ramp

Supplement for laminated floor + ramp: _____



SCANDI LINE Compact shelving: Examples with prices


Example 3

Wheel operation

H = 2360 incl. mobile unit/base, 6 tiers · L = 6175 mm D = 270 mm · 648 shelf metres

Price: _____ **excl. floor + ramp**

Supplement for: Laminated floor + ramp: _____



Example 4

Electrical operation

H = 2360 incl. mobile unit/base, 6 tiers · L = 12175 mm D = 270 mm · 1296 shelf metres

Price: _____ **excl. floor + ramp**

Supplement for: Laminated floor + ramp: _____

